



Jan.1.2026 Copyright 2026 HIROSE ELECTRIC CO., LTD. All Rights Reserved.
In case of consideration for using Automotive equipment / device which demand high reliability, kindly contact our sales window correspondents.



RECOMMENDED PC BOARD HOLE PATTERN (MOUNTING SIDE)



NOTE 1) Standoff differs according to products.
2) The dimension in parentheses are for reference.

PART No.	CODE No.	PIN	A	B	C
HIF2E-10D-2.54RA(20)	CL561-0501-7-20	10	17.17	11.43	10.16
HIF2E-14D-2.54RA(20)	CL561-0502-0-20	14	22.25	16.51	15.24
HIF2E-16D-2.54RA(20)	CL561-0503-2-20	16	24.79	19.05	17.78
HIF2E-20D-2.54RA(20)	CL561-0504-5-20	20	29.87	24.13	22.86
HIF2E-26D-2.54RA(20)	CL561-0505-8-20	26	37.49	31.75	30.48
HIF2E-30D-2.54RA(20)	CL561-0506-0-20	30	42.57	36.83	35.56
HIF2E-34D-2.54RA(20)	CL561-0507-3-20	34	47.65	41.91	40.64
HIF2E-40D-2.54RA(20)	CL561-0508-6-20	40	55.27	49.53	48.26
HIF2E-50D-2.54RA(20)	CL561-0509-9-20	50	67.97	62.23	60.96
HIF2E-60D-2.54RA(20)	CL561-0510-8-20	60	80.67	74.93	73.66

1	COPPER ALLOY	SURFACE:GOLD 0.03μm min. UNDER PLATING:NICKEL 3μm min.	2, 3	PBT	GRAY	UL94V-0			
NO.	MATERIAL	FINISH . REMARKS	NO.	MATERIAL	FINISH . REMARKS				
UNITS mm		SCALE 2:1	COUNT 	DESCRIPTION OF REVISIONS			DESIGNED	CHECKED	DATE
HRS HIROSE ELECTRIC CO., LTD.		APPROVED : HS. OKAWA	15.08.21	DRAWING NO. EDC-365745-00-00					
		CHECKED : HT. YAMAGUCHI	15.08.21	PART NO. HIF2E-**D-2.54RA(20)					
		DESIGNED : TH. SANO	15.08.21	CODE NO. CL561					
		DRAWN : HR. NAGAYASU	15.08.21						